

**SUMMARY OF ASSAY RESULTS: Hole SD-11-25A , San Diego Property, Mexico**

Hole ID.	From	To	Length (m)	Au (g/t)	Ag (g/t)	Pb (%)	Zn (%)	Cu (%)	Ag Eq.	Comments
SD-11-25A	203.92	205.54	1.62	0.26	711	9.22	1.06	0.08	926	Arroyo Vein
incl.	204.22	204.53	0.31	0.45	1,615	20.0	1.23	0.12	2052	
incl.	313.67	319.03	5.36	0.92	357	0.25	0.24	0.26	429	El Jal Vein
	313.67	316.08	2.41	0.27	120	0.30	0.20	0.04	145	
	317.67	319.03	1.36	2.76	1,138	0.31	0.33	0.92	1347	
	317.67	317.97	0.30	6.29	3,560	0.21	0.71	3.22	3560	

End of hole 696.4 m

Notes:

- 1/all assay results represent the core length and may not be representative of the true width.
- 2/ Silver Equivalent grades (Ag.EQ) are calculated using US\$ 1600/ oz.Au; US\$32/oz,Ag; US\$0.90/lb.Pb; US\$0.85/lb.Zn and US\$3.00/lb.Cu.
- 3/ The estimated average grades of reported intersections use only weighted averages determined from sample lengths. This is considered conservative since density variations between samples have not yet been incorporated into the weighted averages.

**SUMMARY OF ASSAY RESULTS: Hole SD-11-37 , San Diego Property, Mexico**

Hole ID.	From	To	Length (m)	Au (g/t)	Ag (g/t)	Pb (%)	Zn (%)	Cu (%)	Ag Eq.	Comments
SD-11-37	134.54	141.60	7.06	0.098	294	1.97	1.12	0.14	366	La Rata
incl.	136.66	138.43	1.77	0.255	600	5.08	2.02	0.20	760	
incl.	139.75	141.60	1.85	0.130	385	1.81	1.13	0.15	456	
	404.98	405.35	0.37	0.20	183	3.55	3.09	0.018	319	Veta C2

End of hole 446.2 m

Notes:

- 1/all assay results represent the core length and may not be representative of the true width.
- 2/ Silver Equivalent grades (Ag.EQ) are calculated using US\$ 1600/ oz.Au; US\$32/oz,Ag; US\$0.90/lb.Pb; US\$0.85/lb.Zn and US\$3.00/lb.Cu.
- 3/ The estimated average grades of reported intersections use only weighted averages determined from sample lengths. This is considered conservative since density variations between samples have not yet been incorporated into the weighted averages.

**SUMMARY OF ASSAY RESULTS: Hole SD-11-37 A, San Diego Property, Mexico**

Hole ID.	From	To	Length (m)	Au (g/t)	Ag (g/t)	Pb (%)	Zn (%)	Cu (%)	Ag Eq.	Comments
<b>SD-11-37A</b>	208.37	209.57	1.20	0.505	289	0.84	0.96	0.11	354	<b>Veta C2</b>
<b>CENTRAL Corridor Zone</b>										
	624.76	630.14	<b>5.38</b>	0.064	36	0.90	0.82	0.05	75	<b>Montanez-FW</b>
and and	664.44	665.15	0.71	0.000	103	1.89	1.47	0.15	176	<b>Montanez-Centre</b>
	673.80	674.53	0.73	0.059	128	2.68	3.30	0.32	263	
	682.92	684.11	1.19	0.092	59	1.31	1.22	0.08	117	
	697.52	704.90	7.38	0.112	88	1.74	1.80	0.11	167	<b>Montanez HW</b>
	719.37	720.60	1.23	0.263	120	2.19	0.81	0.21	204	<b>Monta-HW-2</b>
	730.31	732.30	1.99	0.187	62	0.66	1.43	0.08	115	<b>Monta-HW-3</b>
	767.52	770.19	2.67	0.185	98	2.57	4.75	0.22	257	<b>Mid-Zone</b>
incl. incl.	792.58	815.75	<b>23.17</b>	0.037	41	0.51	0.62	0.04	66	<b>San José</b>
	792.58	796.31	3.73	0.203	155	2.03	2.31	0.09	252	
	812.70	815.75	3.05	0.034	106	1.32	1.52	0.12	169	
<b>SOUTH Corridor Zone</b>										
	886.85	901.46	<b>14.61</b>	0.040	42	0.70	0.62	0.06	72	<b>South-Skarn</b>
incl.	886.85	890.60	3.75	0.088	120	1.95	1.65	0.14	201	
	937.04	939.83	2.79	0.104	171	2.85	1.80	0.19	276	<b>Sulphide Vein</b>
incl.	993.70	1001.90	<b>8.20</b>	0.020	46	0.75	0.97	0.10	85	<b>Trovador-1</b>
	1000.40	1,001.90	1.50	0.026	165	3.32	2.38	0.24	289	
incl. incl.	1078.37	1087.35	<b>8.98</b>	0.006	88	0.78	3.20	0.25	177	<b>Trovador-2 or Lorenzo-1</b>
	1,078.37	1,081.13	2.76	0.013	147	1.66	7.70	0.38	344	
	1,084.51	1,087.35	2.84	0.000	108	0.62	2.04	0.29	176	
incl. incl.	1099.55	1112.25	<b>12.70</b>	0.003	50	0.42	1.42	0.26	101	<b>Lorenzo</b>
	1,099.55	1,102.59	3.04	0.013	90	0.49	2.51	0.64	186	
	1,110.94	1,112.25	1.31	0.000	165	2.35	4.18	0.18	298	
	1,128.66	1,141.55	<b>12.89</b>	0.006	20	0.12	0.78	0.06	41	<b>Lorenzo_EXT.</b>
	1,177.70	1,184.85	7.15	0.000	40	0.17	1.40	0.30	88	<b>Other</b>
incl.	1224.30	1276.60	<b>52.30</b>	0.000	6	0.02	0.62	0.15	27	<b>Zn±Cu</b>
	1,224.30	1,225.68	1.38	0.000	42	0.02	3.82	1.28	195	

End of hole 1,288.65 m

Notes:

1/ True Widths are estimated to be between 75 and 85% of Core Length in hole SD-11-37A

2/ Silver Equivalent grades (Ag.EQ) are calculated using US\$ 1600/ oz.Au; US\$32/oz,Ag; US\$0.90/lb.Pb;

US\$0.85/lb.Zn and US\$3.00/lb.Cu.

3/ The estimated average grades of reported intersections use only weighted averages determined from sample lengths. This is considered conservative since density variations between samples have not yet been incorporated into the weighted averages.

**SUMMARY OF ASSAY RESULTS: Hole SD-11-37-41, San Diego Property, Mexico**

Hole ID.	From	To	Length (m)	Au (g/t)	Ag (g/t)	Pb (%)	Zn (%)	Cu (%)	Ag Eq.	Comments
<b>SD-11-41</b>	83.27	84.06	0.79	0.681	185	0.206	0.191	0.162	237	<b>La Rata</b>
	345.60	346.90	1.30	0.085	75	0.237	0.403	0.048	94	<b>Cantarranas-2</b>
	425.51	426.22	0.71	0.168	202	3.804	1.819	0.022	318	<b>Ag-Zone</b>
	496.56	540.57	44.01	0.10	31	0.70	0.72	0.02	64	<b>CENTRAL Corridor Zone</b>
	496.56	501.07	4.51	0.201	31	0.79	1.24	0.026	81	<b>Montanez FW</b>
incl.	511.05	540.57	<b>29.52</b>	0.108	39	0.87	0.86	0.03	78	<b>Montanez HW</b>
	511.05	516.05	5.00	0.266	115	2.39	1.93	0.07	214	
incl.	535.35	540.57	5.22	0.109	59	1.33	1.62	0.04	122	<b>Mid-Zone</b>
	536.59	540.57	3.98	0.131	68	1.52	2.00	0.05	143	
	584.12	588.29	4.17	0.065	69	2.23	1.71	0.12	154	
										<b>SOUTH Corridor Zone</b>
	658.44	659.90	1.46	0.012	53	1.59	1.10	0.08	109	<b>San José</b>
incl.	696.86	711.25	<b>14.39</b>	0.169	81	1.77	1.67	0.08	159	<b>South Skarn</b>
	696.86	703.29	6.43	0.242	127	2.77	2.56	0.12	246	
incl.	738.23	747.72	<b>9.49</b>	0.040	34	0.83	0.86	0.03	70	<b>South Skarn</b>
	745.18	747.72	2.54	0.064	68	1.64	2.04	0.06	144	
incl.	793.03	818.18	<b>25.15</b>	0.018	23	0.46	0.48	0.03	43	<b>Trovador-1</b>
	793.03	797.66	4.63	0.055	34	0.73	0.75	0.04	67	
incl.	841.79	860.47	<b>18.68</b>	0.051	46	0.83	0.78	0.05	81	<b>Trovador-2</b>
	841.79	844.10	2.31	0.251	118	2.37	1.64	0.08	211	
and	889.55	898.76	9.21	0.059	33	0.78	0.67	0.04	66	
incl.	917.18	942.78	<b>25.60</b>	0.010	38	0.74	0.72	0.06	70	<b>Lorenzo</b>
	917.18	931.99	14.81	0.017	47	0.96	0.78	0.08	86	
	917.18	922.34	5.16	0.037	63	1.48	1.24	0.11	123	
	941.36	942.78	1.42	0.000	124	2.01	3.58	0.11	235	
	949.71	967.86	18.15	0.034	26	0.39	0.51	0.03	46	<b>Stringer Zone</b>
	1,005.12	1,006.46	1.34	0.022	78	2.27	0.45	0.11	138	<b>Other</b>

End of hole 1,096.2 m

**Notes:**

- 1/ True Widths are estimated to be 90% of Core Length in hole SD-11-41
- 2/ Silver Equivalent grades (Ag.EQ) are calculated using US\$ 1600/ oz.Au; US\$32/oz,Ag; US\$0.90/lb.Pb; US\$0.85/lb.Zn and US\$3.00/lb.Cu.
- 3/ The estimated average grades of reported intersections use only weighted averages determined from sample lengths. This is considered conservative since density variations between samples have not yet been incorporated into the weighted averages.

**SUMMARY OF ASSAY RESULTS: Hole SD-11-42 , San Diego Property, Mexico**

Hole ID.	From	To	Length (m)	Au (g/t)	Ag (g/t)	Pb (%)	Zn (%)	Cu (%)	Ag Eq.	Comments	
<b>SD-11-42</b>										<b>SOUTH Corridor Zone</b>	
	343.60	355.40	11.80								
	361.00	370.50	9.50	Infill sampling - Assays Unavailable							
	378.60	402.60	24.00								
	403.61	406.30	2.69	0.237	151	3.16	3.63	0.15	299	<b>SouthSkarn</b>	
	416.60	420.60	4.00								
	424.25	427.20	2.95	Infill sampling - Assays Unavailable							
	431.20	433.45	2.25								
	443.45	448.35	4.90								
	<b>449.45</b>	<b>452.53</b>	<b>3.08</b>	<b>0.153</b>	<b>128</b>	<b>2.95</b>	<b>1.39</b>	<b>0.05</b>	<b>221</b>		
incl.	451.61	452.53	0.92	0.159	275	6.24	3.24	0.13	470	<b>Trovador-1</b>	
incl.	452.27	452.53	0.26	0.000	752	16.35	8.49	0.40	1246		
	453.55	506.40	52.85	Infill sampling - Assays Unavailable							
	511.85	514.95	3.10								
	<b>515.45</b>	<b>520.42</b>	<b>4.97</b>	<b>0.474</b>	<b>112</b>	<b>2.53</b>	<b>2.03</b>	<b>0.05</b>	<b>224</b>		
	521.40	531.80	10.40							<b>Trovador-2</b>	
	538.00	554.00	16.00	Infill sampling - Assays Unavailable							
	562.80	565.70	2.90								
	575.73	576.74	1.01	1.34	101	2.85	4.15	0.08	303	<b>Lorenzo</b>	
	577.25	582.70	5.45	Infill sampling - Assays Unavailable							

End of hole 628.3 m

Notes:

1/ True Widths are estimated to be between 75 and 85% of Core Length in hole SD-11-42

2/ Silver Equivalent grades (Ag.EQ) are calculated using US\$ 1600/ oz.Au; US\$32/oz,Ag; US\$0.90/lb.Pb; US\$0.85/lb.Zn and US\$3.00/lb.Cu.

3/ The estimated average grades of reported intersections use only weighted averages determined from sample lengths. This is considered conservative since density variations between samples have not yet been incorporated into the weighted averages.

**SUMMARY OF ASSAY RESULTS: Hole SD-11-45, San Diego Property, Mexico**

Hole ID.	From	To	Length (m)	Au (g/t)	Ag (g/t)	Pb (%)	Zn (%)	Cu (%)	Ag Eq.	Comments
<b>SD-11-45</b>										<b>CENTRAL Corridor Zone</b>
	471.90	473.58	1.68	0.191	131	3.08	3.48	0.22	277	<b>Montanez</b>
	564.69	566.95	2.26	0.404	115	2.51	1.99	0.06	223	<b>Mid-Zone</b>
and	576.10	577.20	1.10	0.332	100	0.89	4.32	0.04	214	
	646.60	647.50	0.90	0.087	317	6.85	5.34	0.44	578	<b>Sulphide Vein</b>
										<b>SOUTH Corridor Zone</b>
	758.14	770.43	<b>12.29</b>	0.057	43	1.11	0.81	0.07	86	<b>South Skarn</b>
incl.	758.14	759.46	1.32	0.169	154	3.15	3.65	0.296	308	
and	779.09	785.23	6.14	0.055	106	1.97	1.23	0.09	175	
	800.97	804.59	3.62	0.064	45	0.79	1.08	0.04	86	<b>Trovador-1</b>
and	847.03	850.39	3.36	0.042	66	1.13	1.59	0.05	122	
	895.90	898.19	2.29	0.021	65	1.40	0.63	0.02	106	<b>Trovador-2</b>
	1002.65	1003.00	0.35	0.320	424	10.15	22.40	0.33	1064	<b>Lorenzo</b>
	1032.12	1033.27	1.15	0.000	123	0.71	5.77	0.888	299	<b>Stringer Zone</b>
	1051.42	1055.35	3.93	0.000	51.4	0.25	2.66	0.287	123	<b>Stringer Zone</b>
	1065.55	1087.29	<b>21.74</b>	0.018	41	0.27	0.97	0.140	73	<b>Other</b>
incl.	1065.55	1066.60	1.05	0.039	109	0.77	3.08	0.195	194	
incl.	1072.52	1076.76	4.24	0.074	84	0.46	1.52	0.314	144	
	1112.42	1129.91	<b>17.49</b>	0.003	42	0.30	0.97	0.10	72	<b>Other</b>
incl.	1118.30	1129.91	11.61	0.005	58	0.42	1.32	0.14	99	
incl.	1112.42	1113.19	0.77	0.000	64	0.38	1.82	0.13	113	
incl.	1122.92	1125.10	2.18	0.024	110	0.65	1.13	0.14	153	

End of hole 1,210.3 m

Notes:

1/ True Widths are estimated to be between 75 and 85% of Core Length in hole SD-11-45

2/ Silver Equivalent grades (Ag.EQ) are calculated using US\$ 1600/ oz.Au; US\$32/oz,Ag; US\$0.90/lb.Pb; US\$0.85/lb.Zn and US\$3.00/lb.Cu.

3/ The estimated average grades of reported intersections use only weighted averages determined from sample lengths. This is considered conservative since density variations between samples have not yet been incorporated into the weighted averages.